INDEX TO AUTHORS

A

ALLEN, C. FREEMAN, GOOD, PEARL, MOLLENHAUER, HILTON H., and TOTTEN, CLARA. Studies on seeds. IV. Lipid composition of bean cotyledon vesicles, 542

ANDERSON, LUCY M. See HAUSMAN, ANDERSON, and TELFER, 303

B

BAKER, RICHARD F. See MOREL, BAKER, and WAYLAND, 91

BASKIN, R. J. Ultrastructure and calcium transport in crustacean muscle microsomes, 49

BAUMANN, FRITZ. See PERRELET, ORCI, and BAUMANN, 684

BAXANDALL, JANE. See BIBRING and BAXANDALL, 324

BENSON, ROBERT L. SACKTOR, BERTRAM, and GREENAWALT, JOHN W. Studies on the ultrastructural localization of intestinal disaccharidases, 711

BENTZEL, C. J., TOURVILLE, D. R., PARSA, B., and TOMASI, T. B., JR. Bidirectional transport of horseradish peroxidase in proximal tubule of *Necturus* kidney, 197

BENZO, CAMILLO A., and NEMETH, ANDREW M. Factors controlling development of chick embryo liver cells during organ culture, 235

BIBRING, THOMAS, and BAXANDALL, JANE. Selective extraction of isolated mitotic apparatus. Evidence that typical microtubule protein is extracted by organic mercurial, 324

BODIAN, DAVID. Presynaptic organelles and junctional integrity, 707

BOK, DEAN. See HELLER, OSTWALD, and BOK, 633

BRANTON, DANIEL. See WAALAND, WAALAND, and BRANTON, 212

BROUTY-BOYÉ, D. See MACIEIRA-COELHO, BROUTY-BOYÉ, THOMAS, and GRESSER, 415

BRUMBAUGH, J. A. See MAUL and BRUMBAUGH, 41

BYRT, PAULINE. See SHORTMAN, WILLIAMS, JACKSON, RUSSELL, BYRT, and DIENER, 566

C

CHAPMAN, KENT M. See MORAN, CHAPMAN, and ELLIS, 155

CHATTERJEE, SAMAR, and GOLDSTEIN, LESTER. Proteins in nucleocytoplasmic interactions. V. Intranuclear localization of proteins in *Amoeba proteus*, 202

CHIAKULAS, JOHN J. See MILLHOUSE, CHIAKULAS, and SCHEVING, 1

CLAWSON, C. C., and GOOD, ROBERT A. Micropapillae. A surface specialization of human leukocytes, 207

COHEN, ADOLPH I. Electron microscopic observations on form changes in photoreceptor outer segments and their saccules in response to osmotic stress, 547

COMBS, JOHN W. An electron microscope study of mouse mast cells arising in vivo and in vitro, 676

CONNELLY, J. L. See MYRON and CONNELLY, 291

CRANE, F. L. See HALL and CRANE, 420

CUPPAGE, F. E. See GRANTHAM, CUPPAGE, and FANESTIL, 695

D

DALLMAN, PETER R., and GOODMAN, JOSEPH R. The effects of iron deficiency on the hepatocyte: a biochemical and ultrastructural study, 79

DANEHOLT, B. See EGYHÁZI, DANEHOLT, EDSTRÖM, LAMBERT, and RINGBORG, 120

DAVID, CHARLES N., and EASTERBROOK, KENNETH. Ferritin in the fungus *Phycomyces*, 15

DAVIDSON, D. See SOCHER and DAVIDSON, 248

DETER, RUSSELL L. Quantitative characterization of dense body, autophagic vacuole, and acid phosphatase-bearing particle populations during the early phases of glucagon-induced autophagy in rat liver, 473

DIENER E. See SHORTMAN, WILLIAMS, JACKSON, RUSSELL, BYRT, and DIENER, 566

DIRKSEN, ELLEN ROTER. See SATIR and DIRKSEN, 143

DRANE, WANZER. See MUELLER, GAULDEN, and DRANE, 253

E

EASTERBROOK, KENNETH. See DAVID and EASTERBROOK, 15

EDSTRÖM, J.-E. See EGYHÁZI, DANEHOLT, EDSTRÖM, LAMBERT, and RINGBORG, 120

EDWARDS, M. R. See GANTT, EDWARDS, and PROVASOLI, 280

EGYHÁZI, E., DANEHOLT, B., EDSTRÖM, J.-E., LAMBERT, B., and RINGBORG, U. Intracellular distribution of low molecular weight RNA in *Chironomus tentans*, 120

ELLIS, RICHARD A. See MORAN, CHAPMAN, and ELLIS, 155

ENGEL, ANDREW G. See MACDONALD and ENGEL 431

ESPEY, LAWRENCE L. Multivesicular structures in proliferating fibroblasts of rabbit ovarian follicles during ovulation, 437

F

FANESTIL, DARRELL. See GRANTHAM, CUPPAGE, and FANESTIL, 695
FRASER, F. C. See SEEGMILLER, FRASER, and SHELDON, 580
FURNESS, J. B. See IWAYAMA and FURNESS, 699

G

GANTT, E., EDWARDS, M. R., and PROVASOLI, L. Chloroplast structure of the Cryptophyceae. Evidence for phycobiliproteins within intrathylakoidal spaces, 280
GAULDEN, MARY ESTHER. See MUELLER, GAULDEN, and DRANE, 253
GETZ, G. S. See JAKOVCIC, GETZ, RABINOWITZ, JAKOB, and SWIFT, 490
GHOSH, B. K. Grooves in the plasmalemma of *Saccharomyces cerevisiae* seen in glancing sections of double aldehyde-fixed cells, 192
GOLDSTEIN, LESTER. See CHATTERJEE and GOLDSTEIN, 202
GOOD, PEARL. See ALLEN, GOOD, MOLLENHAUER, and TOTTEN, 542
GOOD, ROBERT A. See CLAWSON and GOOD, 207
GOODENOUGH, URSULA W., and STAEHELIN, L. ANDREW. Structural differentiation of stacked and unstacked chloroplast membranes Freeze-etch electron microscopy of wild-type and mutant strains of *Chlamydomonas*, 594
GOODMAN, JOSEPH R. See DALLMAN and GOODMAN, 79
GRANTHAM, JARED, CUPPAGE, F. E., and FANESTIL, DARRELL. Direct observation of toad bladder response to vasopressin, 695
GREENAWALT, JOHN W. See BENSON, SACKTOR, and GREENAWALT, 711
GRESSER, I. See MACIEIRA-COELHO, BROUTY-BOYÉ, THOMAS, and GRESSER, 415
GROSS, NICHOLAS J. Control of mitochondrial turnover under the influence of thyroid hormone, 29

H

HALL, J. D., and CRANE, F. L. Intracristal rods. A new structure in beef heart mitochondria, 420
HARDIN, J. H., and SPICER, S. S. Ultrastructural localization of dialyzed iron-reactive mucosubstance in rabbit heterophils, basophils, and eosinophils, 368
HAUSMAN, STEVEN J., ANDERSON, LUCY M., and TELFER, WILLIAM H. The dependence of cecropia yolk formation in vitro on specific blood proteins, 303
HEINE, JOCHEN W., and SCHNAITMAN, CARL A. A method for the isolation of plasma membrane of animal cells, 703
HELLER, JORAM, OSTWALD, THOMAS J., and BOK, DEAN. The osmotic behavior of rod photoreceptor outer segment discs, 633
HILFER, S. ROBERT. See SPOONER and HILFER, 225
HSU, DORA. See KRISHAN and HSU, 407

I

IWAYAMA, TAKASHI, and FURNESS, J. B. Enhancement of the granulation of adrenergic storage vesicles in drug-free solution, 699

J

JACKSON, HEATHER. See SHORTMAN, WILLIAMS, JACKSON, RUSSELL, BYRT, and DIENER, 566
JAKOB, H. See JAKOVCIC, GETZ, RABINOWITZ, JAKOB, and SWIFT, 490
JAKOVCIC, S., GETZ, G. S., RABINOWITZ, M., JAKOB, H., and SWIFT, H. Cardiolipin content of wild type and mutant yeasts in relation to mitochondrial function and development, 490
JAMIESON, JAMES D., and PALADE, GEORGE E. Condensing vacuole conversion and zymogen granule discharge in pancreatic exocrine cells: metabolic studies, 503

K

KAFATOS, FOTIS C., and KIORTSIS, VASSILI. The packaging of a secretory protein. Kinetics of cocoonase zymogen transport into a storage vacuole, 426
KIERSZENBAUM, ABRAHAM L., LIBANATI, CESAR M., and TANDLER, CARLOS J. The distribution of inorganic cations in mouse testis. Electron microscope and microprobe analysis, 314
KIORTSIS, VASSILI. See KAFATOS and KIORTSIS, 426
KORN, EDWARD D. See POLLARD and KORN, 216
KRISHAN, AWTAR, and HSU, DORA. Binding of colchicine-^{3}H to vinblastine- and vincristine-induced crystals in mammalian tissue culture cells, 407
KUNDRAT, ELLEN, and PEPE, FRANK A. The M band. Studies with fluorescent antibody staining, 340

L

LAGUENS, RUBEN. Morphometric study of myocardial mitochondria in the rat, 673
LAMBERT, B. See EGYHÁZI, DANEHOLT, EDSTRÖM, LAMBERT, and RINGBORG, 120
LENTZ, THOMAS L., and TRINKAUS, J. P. Differentiation of the junctional complex of surface cells in the developing *Fundulus* blastoderm, 455
LEYTON, R. A., and SONNENBLICK, E. H. Cardiac muscle of the horseshoe crab, *Limulus polyphemus*. I. Ultrastructure, 101
LIBANATI, CESAR M. See KIERSZENBAUM, LIBANATI, and TANDLER, 314
LOCKE, M., and MCMAHON, J. T. The origin and fate of microbodies in the fat body of an insect, 61

M

MACDONALD, RONALD D., and ENGEL, ANDREW G. Observations on organization of Z-disk components and on rod-bodies of Z-disk origin, 431
MACIEIRA-COELHO, A., BROUTY-BOYÉ, D., THOMAS, M. T., and GRESSER, I. Interferon and cell division. III. Effect of interferon on the division cycle of L1210 cells in vitro, 415
MASSOVER, WILLIAM H. Intramitochondrial yolk-crystals of frog oocytes. I. Formation of yolk-crystal

inclusions by mitochondria during bullfrog oogenesis, 266
MAUL, GERD, G., and BRUMBAUGH, J. A. On the possible function of coated vesicles in melanogenesis of the regenerating fowl feather, 41
MCKENNA, OLIVIA C., and ROSENBLUTH, JACK. Characterization of an unusual catecholamine-containing cell type in the toad hypothalamus. A correlated ultrastructural and fluorescence histochemical study, 650
MCMAHON, J. T. See LOCKE and MCMAHON, 61
MILLHOUSE, EDWARD W., JR., CHIAKULAS, JOHN J., and SCHEVING, LAWRENCE E. Long-term organ culture of the salamander heart, 1
MIURA, YASUSADA, and WILT, FRED H. The effects of 5-bromodeoxyuridine on yolk sac erythropoiesis in the chick embryo, 523
MOLLENHAUER, HILTON H., and TOTTEN, CLARA. Studies on seeds. I. Fixation of seeds, 387
—, and —. II. Origin and degradation of lipid vesicles in pea and bean cotyledons, 395
—, and —. III. Isolation and structure of lipid-containing vesicles, 533
—. See ALLEN, GOOD, MOLLENHAUER, and TOTTEN, 542
MORAN, DAVID T., CHAPMAN, KENT M., and ELLIS, RICHARD A. The fine structure of cockroach campaniform sensilla, 155
MOREL, FRANCOIS M. M., BAKER, RICHARD F., and WAYLAND, HAROLD. Quantitation of human red blood cell fixation by glutaraldehyde, 91
MUELLER, G. A., GAULDEN, MARY ESTHER, and DRANE, WANZER. The effects of varying concentrations of colchicine on the progression of grasshopper neuroblasts into metaphase, 253
MYRON, D. R., and CONNELLY, J. L. The morphology of the swelling process in rat liver mitochondria, 291

N

NANNINGA, N. The mesosome of *Bacillus subtilis* as affected by chemical and physical fixation, 219
NEMANIC, MICHAEL K., and PITELKA, DOROTHY R. A scanning electron microscope study of the lactating mammary gland, 410
NEMETH, ANDREW M. See BENZO and NEMETH, 235

O

ORCI, LELIO. See PERRELET, ORCI, and BAUMANN, 684
OSTWALD, THOMAS J. See HELLER, OSTWALD, and BOK, 633

P

PALADE, GEORGE E. See JAMIESON and PALADE, 503
PARSA, B. See BENTZEL, TOURVILLE, PARSA, and TOMASI, 197
PEFE, FRANK A. See KUNDRAT and PEPE, 340
PERRELET, ALAIN, ORCI, LELIO, and BAUMANN, FRITZ. Evidence for granulolysis in the retinula cells of a stomatopod crustacean *Squilla mantis*, 684
PITELKA, DOROTHY R. See NEMANIC and PITELKA, 410
POLLARD, THOMAS D., and KORN, EDWARD D. Filaments of *Amoeba proteus*. II. Binding of heavy meromyosin by thin filaments in motile cytoplasmic extracts, 216
PRESCOTT, D. M. See STEVENS and PRESCOTT, 443
PROVASOLI, L. See GANTT, EDWARDS, and PROVASOLI, 280

R

RABINOWITZ, M. See JAKOVCIC, GETZ, RABINOWITZ, JAKOB, and SWIFT, 490
RINGBORG, U. See EGYHÁZI, DANEHOLT, EDSTRÖM, LAMBERT, and RINGBORG, 120
ROSENBLUTH, JACK. Myosin-like aggregates in trypsin-treated smooth muscle cells, 174
—. See MCKENNA and ROSENBLUTH, 650
RUSSELL, PAMELA. See SHORTMAN, WILLIAMS, JACKSON, RUSSELL, BYRT, and DIENER, 566

S

SACKTOR, BERTRAM. See BENSON, SACKTOR, and GREENAWALT, 711
SATIR, BIRGIT, and DIRKSEN, ELLEN ROTER. Nucleolar aging in *Tetrahymena* during the cultural growth cycle, 143
SCHEVING, LAWRENCE E. See MILLHOUSE, CHIAKULAS, and SCHEVING, 1
SCHNAITMAN, CARL A. See HEINE and SCHNAITMAN, 703
SEEGMILLER, R., FRASER, F. C., and SHELDON, H. A new chondrodystrophic mutant in mice. Electron microscopy of normal and abnormal chondrogenesis, 580
SHELDON, H. See SEEGMILLER, FRASER, and SHELDON, 580
SHIMADA, YUTAKA. Electron microscope observations on the fusion of chick myoblasts in vitro, 128
SHORTMAN, KEN, WILLIAMS, NEIL, JACKSON, HEATHER, RUSSELL, PAMELA, BYRT, PAULINE, and DIENER, E. The separation of different cell classes from lymphoid organs. IV. The separation of lymphocytes from phagocytes on glass bead columns, and its effect on subpopulations of lymphocytes and antibody-forming cells, 566
SOCHER, S. H., and DAVIDSON, D. 5-aminouracil treatment. A method for estimating G_2, 248
SONNENBLICK, E. H. See LEYTON and SONNENBLICK, 101
SPICER, S. S. See HARDIN and SPICER, 368
SPOONER, BRIAN S., and HILFER, S. ROBERT. The expression of differentiation by chick embryo thyroid in cell culture. II. Modification of phenotype in monolayer culture by different media, 225
STAEHELIN, L. ANDREW. See GOODENOUGH and STAEHELIN, 594
STEVENS, A. R., and PRESCOTT, D. M. Reformation of nucleolus-like bodies in the absence of postmitotic RNA synthesis, 443
STRAUS, WERNER. Comparative analysis of the concentration of injected horseradish peroxidase in

cytoplasmic granules of the kidney cortex, in the blood, urine, and liver, 620
SWIFT, H. See JAKOVCIC, GETZ, RABINOWITZ, JAKOB, and SWIFT, 490

T

TANDLER, CARLOS J. See KIERSZENBAUM, LIBANATI, and TANDLER, 314
TELFER, WILLIAM H. See HAUSMAN, ANDERSON, and TELFER, 303
THOMAS, M. T. See MACIEIRA-COELHO, BROUTY-BOYÉ, THOMAS, and GRESSER, 415
TOMASI, T. B., JR. See BENTZEL, TOURVILLE, PARSA, and TOMASI, 197
TOTTEN, CLARA. See ALLEN, GOOD, MOLLENHAUER, and TOTTEN, 542
—. See MOLLENHAUER and TOTTEN, 387, 395, 533
TOURVILLE, D. R. See BENTZEL, TOURVILLE, PARSA, and TOMASI, 197
TRELSTAD, ROBERT L. Vacuoles in the embryonic chick corneal epithelium, an epithelium which produces collagen, 689
TRINKAUS, J. P. See LENTZ and TRINKAUS, 455

W

WAALAND, J. ROBERT, WAALAND, SUSAN DRURY, and BRANTON, DANIEL. Gas vacuoles. Light shielding in blue-green algae, 212
WAALAND, SUSAN DRURY. See WAALAND, WAALAND, and BRANTON, 212
WAYLAND, HAROLD. See MOREL, BAKER, and WAYLAND, 91
WEBSTER, HENRY DEF. The geometry of peripheral myelin sheaths during their formation and growth in rat sciatic nerves, 348
WILLIAMS, NEIL. See SHORTMAN, WILLIAMS, JACKSON, RUSSELL, BYRT, and DIENER, 566
WILT, FRED H. See MIURA and WILT, 523

Y

YOUSON, JOHN H. Prismatic cristae and matrix granules in mitochondria of the kidneys of ammocoetes, 189

INDEX TO SUBJECTS

A

Adrenergic storage vesicles, of guinea pig and rat vas deferens, enhancement of granulation of in drug-free solution, fluorescence histochemical and EM study, 699

Aging of nucleolus, in *Tetrahymena pyriformis*, during cultural growth cycle, EM study, 143

Alga *Chlamydomonas reinhardi*, wild-type and mutant strains *ac-5* and *ac-31*, structural differentiation of stacked and unstacked chloroplast membranes of, freeze-etch EM study, 594

Algae, Cryptophyceae *Rhodomonas lens*, *Chroomonas* sp., and *Cryptomonas ovata*, chloroplast structure of, phycobiliproteins within intrathylakoidal spaces, biochemical and EM study, 280

— *Nostoc muscorum*, blue-green, gas vacuoles and light shielding in, spectrophotometric and EM study, 212

Aminouracil, 5-, treatment of *Vicia faba* roots, method for estimation of G_2, cytological study, 248

Ammocoete, of *Petromyzon marinus*, prismatic cristae and matrix granules in mitochondria of kidneys of, EM study, 189

Amphibian *Necturus*, kidney, bidirectional transport of horseradish peroxidase in proximal tubule of, cytochemical light and EM study, 197

Animal L cells, method for isolation of plasma membrane of, biochemical and EM study, 703

Antibody staining, fluorescent, of M band extracted from myofibrils of different sarcomere lengths, phase-contrast and fluorescent microscopic study, 340

Antibody-forming cells and lymphocytes, subpopulations of, effect on of separation of lymphocytes from phagocytes on glass bead columns, biochemical and immunological and radioautographic study, 566

Autophagy, glucagon-induced, in rat liver, quantitative characterization of dense body, autophagic vacuole, and acid phosphatase-bearing particle populations during early phases of, biochemical and EM and morphometric study, 473

B

Bacterium *Bacillus subtilis*, effects of chemical and physical fixation on mesosome of, EM study, 219

Basophils, eosinophils, and heterophils, of rabbit, localization of dialyzed iron reactive mucosubstance in, cytological EM study, 368

Beef, heart mitochondria, intracristal rods in, EM study, 420

Bladder, of toad, direct observation of response of to vasopressin, physiological and light microscopic study, 695

Blastoderm, of *Fundulus heteroclitus*, differentiation of junctional complex of surface cells in, EM study, 455

Blood and bone marrow, of rabbit, localization of dialyzed iron reactive mucosubstance in heterophils, basophils, and eosinophils of, cytological EM study, 368

— leukocytes, human, micropapillae on surface of, EM study, 207

— protein, vitellogenin, of female cecropia, in vitro dependence of yolk formation on, radioautographic and fluorescence microscopic study, 303

—, urine, and liver, of rat, comparative analysis of concentration of injected horseradish peroxidase in, and in cytoplasmic granules of kidney cortex, biochemical and cytochemical study, 620

Bone marrow, and blood, of rabbit, localization of dialyzed iron reactive mucosubstance in heterophils, basophils, and eosinophils of, cytological EM study, 368

Bromodeoxyuridine, 5-, effects of on yolk sac erythropoiesis in chick embryo, biochemical and radioautographic study, 523

C

Calcium transport, and ultrastructure in crustacean muscle microsomes, biochemical and EM study, 49

Campaniform sensilla, of cockroach, fine structure of, light and EM study, 155

Cardiolipin content, of wild type and mutant yeasts, in relation to mitochondrial function and development, biochemical and EM study, 490

Cartilage of mouse strain C57/BL/Fr, normal and abnormal chondrogenesis in, histological and EM study, 580

Catecholamine-containing cell type, characterization of in toad hypothalamus, fluorescence histochemical and EM study, 650

Cations, pyroantimonate-precipitable magnesium, calcium, and sodium, distribution of in mouse testis, microprobe and EM study, 314

Cell, red blood, human, quantitative fixation of by glutaraldehyde, physical chemical study, 91

Cells, animal L-strain, method for isolation of plasma membrane of, biochemical and EM study, 703

—, antibody-forming, and lymphocytes, subpopulations of, effect on of separation of lymphocytes from

phagocytes on glass bead columns, biochemical and immunological and radioautographic study, 566
Cells, of chick embryo skeletal muscle, in vitro fusion of myoblasts, light and EM study, 128
— containing catecholamine, characterization of in toad hypothalamus, fluorescence histochemical and EM study, 650
—, exocrine, of guinea pig pancreas, condensing vacuole conversion and zymogen granule discharge in, biochemical and radioautographic EM study, 503
—, L1210, in vitro effect of interferon on division cycle in, biochemical and radioautographic study, 415
—, liver, of chick embryo, factors controlling development of during organ culture, EM study, 235
—, liver, of rat, effects of iron deficiency on, biochemical and EM study, 79
—, L-929 mouse fibroblasts, binding of colchicine-^{3}H to vinblastine- and vincristine-induced crystals in, radioautographic study, 407
—, mouse mast C57B1, comparison of in vivo and in vitro production, EM study, 676
—, retinula, of stomatopod crustacean *Squilla mantis*, granulolysis in, cytological light and EM study, 684
—, of *Saccharomyces cerevisiae*, double aldehyde–fixed, grooves in plasmalemma of, in glancing sections, EM study, 192
—, surface, in developing *Fundulus* blastoderm, differentiation of junctional complex of, EM study, 455
—, thyroid, of chick embryo, modification of phenotype of in monolayer culture by different media, cytological light and EM study 225
—, of toad smooth muscle, treated with trypsin, myosin-like aggregates in, EM study, 174
Chick, embryo, corneal epithelium (producer of collagen), vacuoles in, EM study, 689
—, embryo, effects of 5-bromodeoxyuridine on yolk sac erythropoiesis in, biochemical and radioautographic study, 523
— embryo liver cells, factors controlling development of during organ culture, EM study, 235
— embryo skeletal muscle cells, in vitro fusion of myoblasts, light and EM study, 128
— embryo thyroid cells, modification of phenotype of in monolayer culture by different media, cytological light and EM study, 225
Chicken, striated muscle, fluorescent antibody staining of M band from myofibrils of different sarcomere lengths, phase-contrast and fluorescent microscopic study, 340
Chloroplast membranes, stacked and unstacked, structural differentiation of in wild-type and mutant strains of *Chlamydomonas reinhardi*, freeze-etch EM study, 594
— structure of Cryptophyceaen algae, phycobiliproteins in intrathylakoidal spaces, biochemical and EM study, 280
Chondrogenesis, normal and abnormal, in embryo of mouse strain C57/BL/Fr, histological and EM study 580
Colchicine, binding of to vinblastine- and vincristine-induced crystals in mammalian tissue culture cells, radioautographic study, 407
—, effects of varying concentrations of on progression of grasshopper neuroblasts into metaphase, cytological study, 253
Collagen-producing epithelium of chick embryo cornea, vacuoles in, EM study, 689
Cornea, of chick embryo, vacuoles in epithelium (producer of collagen), EM study, 689
Cotyledons, of pea and bean, lipid composition of vesicles of, biochemical study, 542
—, of pea and bean seeds, origin and degradation of lipid vesicles in, EM study, 395
Cristae, of beef heart mitochondria, intracristal rods in, EM study, 420
—, prismatic, and matrix granules, in mitochondria of kidneys of ammocoete of *Petromyzon marinus*, EM study, 189
Crustacean *Squilla mantis*, granulolysis in retinula cells of, cytological light and EM study, 684
Crystals, induced by vinblastine and vincristine, in mammalian tissue culture cells, binding of colchicine-^{3}H to, radioautographic study, 407
Culture, long-term, of salamander heart, cytological and EM study, 1
Cytoplasmic extracts, motile, of *Amoeba proteus*, binding of heavy meromyosin by thin filaments in, biochemical and EM study, 216
— granules of kidney cortex, comparative analysis of concentration of injected horseradish peroxidase in, and in blood, urine, and liver, biochemical and cytochemical study, 620

D

Dense body, autophagic vacuole, and acid phosphatase-bearing particle populations, quantitative characterization of during early phases of glucagon-induced autophagy in rat liver, biochemical and EM and morphometric study, 473
Disaccharidases, ultrastructural localization of in hamster intestinal brush border, biochemical and EM study, 711
Discs, outer segment, of frog rod photoreceptor, osmotic behavior of, biochemical and EM study, 633
Division cycle, of L1210 cells, in vitro effect of interferon on, biochemical and radioautographic study, 415
DNA and protein, in rat liver mitochondria, control of turnover of by thyroid hormone, biochemical study, 29

E

Embryo, chick, corneal epithelium (producer of collagen), vacuoles in, EM study, 689
—, chick, effects of 5-bromodeoxyuridine on yolk sac erythropoiesis in, biochemical and radioautographic study, 523
—, chick, liver cells, factors controlling development of during organ culture, EM study, 235
—, chick, skeletal muscle cells, in vitro fusion of myoblasts, light and EM study, 128
—, chick, thyroid cells, modification of phenotype of

in monolayer culture by different media, cytological light and EM study, 225
Embryo, grasshopper, effects of varying concentrations of colchicine on progression of neuroblasts into metaphase, cytological study, 253
—, of mouse strain C57/BL/Fr, normal and abnormal chondrogenesis in, histological and EM study, 580
Eosinophils, basophils, and heterophils, of rabbit, localization of dialyzed iron reactive mucosubstance in, cytological EM study, 368
Epithelium, producer of collagen, in chick embryo cornea, vacuoles in, EM study, 689
Erythropoiesis, in yolk sac of chick embryo, effects of 5-bromodeoxyuridine on, biochemical and radioautographic study, 523
Eye, of stomatopod crustacean *Squilla mantis*, granulolysis in retinula cells of, cytological light and EM study, 684

F

Fat body, of insect *Calpodes ethlius*, origin and fate of microbodies in, cytochemical light and EM study, 61
Feather, regenerating, of fowl, coated vesicles in melanogenesis of, EM study, 41
Ferritin, in fungus *Phycomyces*, biochemical and EM study, 15
Fibroblasts, proliferating, of rabbit ovarian follicles during ovulation, multivesicular structures in, EM study, 437
Filaments, thin, binding of heavy meromyosin by, in motile cytoplasmic extracts of *Amoeba proteus*, biochemical and EM study, 216
Fish *Fundulus heteroclitus*, differentiation of junctional complex of surface cells in developing blastoderm of, EM study, 455
Fixation, chemical and physical, effects of on mesosome of *Bacillus subtilis*, EM study, 219
—, of seeds from pea, bean, and maize, during stages of late development and early germination, cytological EM study, 387
Follicles, of rabbit ovary, multivesicular structures in proliferating fibroblasts in, during ovulation, EM study, 437
Fowl, regenerating feather, coated vesicles in melanogenesis of, EM study, 41
Frog *Rana catesbeiana*, ovarian oocytes, formation of yolk-crystal inclusions by mitochondria during oogenesis, EM study, 266
— *Rana pipiens* and *R. catesbeiana*, retina, osmotic behavior of rod photoreceptor outer segment discs, biochemical and EM study, 633
— *Rana pipiens* or rat, effect of osmotic stress on form changes in photoreceptor outer segments and saccules in, light and EM study, 547
Fungus *Phycomyces blakesleeanus*, ferritin in, biochemical and EM study, 15

G

G_2, method for estimation of, treatment of *Vicia faba* roots with 5-aminouracil, cytological study, 248
Gas vacuoles and light shielding in blue-green algae, spectrophotometric and EM study, 212
Glancing sections of double aldehyde–fixed cells, grooves in plasmalemma of *Saccharomyces cerevisiae*, EM study, 192
Glucagon-induced autophagy in rat liver, quantitative characterization of dense body, autophagic vacuole, and acid-phosphatase bearing particle populations during early phases of, biochemical and EM and morphometric study, 473
Glutaraldehyde, quantitative fixation by of human red blood cells, physical chemical study, 91
Granule, zymogen, discharge of, and condensing vacuole conversion, in pancreatic exocrine cells, biochemical and radioautographic EM study, 503
Granules of adrenergic storage vesicles, of guinea pig and rat vas deferens, enhancement of in drug-free solution, fluorescence histochemical and EM study, 699
—, cytoplasmic, of kidney cortex, comparative analysis of concentration of injected horseradish peroxidase in, and in blood, urine, and liver, biochemical and cytochemical study, 620
—, matrix, and prismatic cristae, in mitochondria of kidneys of ammocoete of *Petromyzon marinus*, EM study, 189
Granulolysis, in retinula cells of stomatopod crustacean *Squilla mantis*, cytological light and EM study, 684
Grasshopper *Chortophaga viridifasciata*, embryo, effects of varying concentrations of colchicine on progression of neuroblasts into metaphase, cytological study, 253
Grooves in plasmalemma of *Saccharomyces cerevisiae*, in glancing sections of double aldehyde–fixed cells, EM study, 192
Growth cycle, cultural, nucleolar aging in *Tetrahymena pyriformis* during, EM study, 143
Guinea pig, pancreas, condensing vacuole conversion and zymogen granule discharge in exocrine cells of, biochemical and radioautographic EM study, 503
—, and rat, vas deferens, enhancement of granulation of adrenergic storage vesicles of in drug-free solution, fluorescence histochemical and EM study, 699

H

Hamster intestinal brush border, ultrastructural localization of disaccharidases in, biochemical and EM study, 711
Heart, of beef, intracristal rods in mitochondria of, EM study, 420
—, of horseshoe crab *Limulus polyphemus*, ultrastructure of muscle of, EM study, 101
—, of rat, mitochondrial mass of, morphometric light and EM study, 673
—, of salamander, long-term organ culture of, cytological and EM study, 1
Hepatocyte, of rat, effects of iron deficiency on, biochemical and EM study, 79
Heterophils, basophils, and eosinophils, of rabbit, localization of dialyzed iron-reactive mucosubstance in, cytological EM study, 368

Horseshoe crab *Limulus polyphemus*, cardiac muscle of, EM study, 101
Human blood leukocytes, micropapillae on surface of, EM study, 207
—, red blood cell, quantitative fixation of by glutaraldehyde, physical chemical study, 91
Hypothalamus, of toad, characterization of unusual catecholamine-containing cell type in, fluorescence histochemical and EM study, 650

I

Inclusions, yolk-crystal, formation of by mitochondria during frog oogenesis, EM study, 266
Insect *Calpodes ethlius*, fat body, origin and fate of microbodies in, cytochemical light and EM study, 61
—, cecropia moth, dependence of yolk formation in vitro on specific blood proteins, radioautographic and fluorescence microscopic study, 303
— *Chironomus tentans*, salivary glands, intracellular distribution of low molecular weight RNA in, biochemical study, 120
—, cockroach *Blaberus discoidalis*, fine structure of campaniform sensilla of, light and EM study, 155
—, silkmoth *Antheraea polyphemus*, packaging of secretory protein, kinetics of cocoonase zymogen transport into storage vacuole, radioautographic study, 426
Interferon, in vitro effect of on division cycle of L1210 cells, biochemical and radioautographic study, 415
Intestinal brush border, of hamster, ultrastructural localization of disaccharidases in, biochemical and EM study, 711
Iron deficiency, effects of on hepatocyte of rat, biochemical and EM study, 79
Iron, dialyzed, localization of mucosubstance reactive to in rabbit heterophils, basophils, and eosinophils, cytological EM study, 368

J

Junctional complex of surface cells, differentiation of in developing *Fundulus* blastoderm, EM study, 455
— integrity and presynaptic organelles, in macque spinal motoneuron neurophil, EM study, 707

K

Kidney, of ammocoete of *Petromyzon marinus*, prismatic cristae and matrix granules in mitochondria of, EM study, 189
— cortex, of rat, comparative analysis of concentration of injected horseradish peroxidase in cytoplasmic granules of and in blood, urine, and liver, biochemical and cytochemical study, 620
—, of *Necturus*, bidirectional transport of horseradish peroxidase in proximal tubule of, cytochemical light and EM study, 197

L

Lactating mammary gland, of mouse, scanning electron microscopic study, 410
Lamprey ammocoete *Petromyzon marinus*, prismatic cristae and matrix granules in mitochondria of kidneys of, EM study, 189
Leukocytes, human, micropapillae on surface of, EM study, 207
Light shielding and gas vacuoles, in blue-green algae, spectrophotometric and EM study, 212
Lipid composition of cotyledon vesicles of pea and bean, biochemical study, 542
— vesicles, isolation and structure of, in seeds of bean, pea, and soybean, EM study, 533
— vesicles, origin and degradation of, in cotyledons of pea and bean seeds, EM study, 395
Liver cells of chick embryo, factors controlling development of during organ culture, EM study, 235
—, of rat, control of mitochondrial DNA and protein turnover by thyroid hormone, biochemical study, 29
—, of rat, morphology of swelling process in mitochondria of, spectrophotometric and EM study, 291
—, of rat, quantitative characterization of dense body, autophagic vacuole, and acid phosphatase–bearing particle populations during early phases of glucagon-induced autophagy in, biochemical and EM and morphometric study, 473
—, urine, and blood, of rat, comparative analysis of concentration of injected horseradish peroxidase in, and in cytoplasmic granules of kidney cortex, biochemical and cytochemical study, 620
Lobster *Homarus americanus* and barnacle *Balanus nubilus*, skeletal muscle, ultrastructure and calcium transport in microsomes of, biochemical and EM study, 49
Lymphocytes, separation of from phagocytes on glass bead columns, effect on subpopulations of antibody-forming cells and, biochemical and immunological and radioautographic study, 566

M

M band, extraction of from myofibrils of different sarcomere lengths with fluorescent antibody staining, phase-contrast and fluorescent microscopic study, 340
Macque, spinal motoneuron neurophil, presynaptic organelles and junctional integrity in, EM study, 707
Mammary gland, lactating, of mouse, scanning electron microscopic study, 410
Mast cells, of mouse, comparison of in vivo and in vitro production of, EM study, 676
Melanogenesis, of regenerating fowl feather, coated vesicles in, EM study, 41
Membrane, plasma, of animal cells, method for isolation of, biochemical and EM study, 703
—, plasma, of *Saccharomyces cerevisiae*, grooves in, in glancing sections of double aldehyde–fixed cells, EM study, 192
Membranes, stacked and unstacked, structural differentiation of chloroplasts in wild-type and mutant strains of *Chlamydomonas reinhardi*, freeze-etch EM study, 594

Mercurial, meralluride sodium, extraction by of typical microtubule protein from isolated mitotic apparatus of sea urchin eggs, biochemical and immunological and EM study, 324
Meromyosin, heavy, binding of by thin filaments in motile cytoplasmic extracts of *Amoeba proteus*, biochemical and EM study, 216
Mesosome of *Bacillus subtilis*, effects of chemical and physical fixation on, EM study, 219
Metaphase, effects of varying concentrations of colchicine on progression of grasshopper neuroblasts into, cytological study, 253
Microbodies, origin and fate of in fat body of insect *Calpodes ethlius*, cytochemical light and EM study, 61
Micropapillae on surface of human leukocytes, EM study, 207
Microsomes, of crustacean muscle, ultrastructure and calcium transport in, biochemical and EM study, 49
Microtubule protein in mitotic apparatus of sea urchin eggs, extraction of by organic mercurial, biochemical and immunological and EM study, 324
Mitochondria, of beef heart, intracristal rods in, EM study, 420
—, of frog oocytes, formation of yolk-crystal inclusions by during oogenesis, EM study, 266
—, in kidneys of ammocoete of *Petromyzon marinus*, prismatic cristae and matrix granules in, EM study, 189
—, myocardial, in rat, morphometric light and EM study, 673
—, of rat liver, control of DNA and protein turnover in by thyroid hormone, biochemical study, 29
—, of rat liver, morphology of swelling process in, spectrophotometric and EM study, 291
—, of wild-type and mutant yeasts, cardiolipin content in relation to function and development of, biochemical and EM study, 490
Mitosis, reformation of nucleolus-like body following, in *Amoeba proteus* in absence of RNA synthesis, biochemical and cytochemical light and EM study, 443
Mitotic apparatus, selective extraction of from sea urchin eggs, extraction of typical microtubule protein by organic mercurial, biochemical and immunological and EM study, 324
Mouse, mammary gland, lactating, scanning electron microscopic study, 410
—, mast cells, in vivo and in vitro from C57Bl line, comparison of, EM study, 676
—, spleen, separation of lymphocytes of from phagocytes on glass bead columns, effect on subpopulations of lymphocytes and antibody-forming cells, biochemical and immunological and radioautographic study, 566
— C57/BL/Fr strain, normal and abnormal chondrogenesis in embryo of, histological and EM study, 580
—, testis, distribution of inorganic cations in, microprobe and EM study, 314
Mucosubstance, reactive to dialyzed iron, localization of in rabbit heterophils, basophils, and eosinophils, cytological EM study, 368
Muscle, cardiac, of horseshoe crab *Limulus polyphemus*, EM study, 101
—, skeletal, crustacean, ultrastructure and calcium transport in microsomes of, biochemical and EM study, 49
—, skeletal, human, frog, and rat, organization of Z-disk components and rod-bodies of Z-disk origin, EM study, 431
—, smooth, myosin-like aggregates in trypsin-treated cells, EM study, 174
—, striated, of chicken, fluorescent antibody staining of M band from myofibrils of different sarcomere lengths, phase-contrast and fluorescent microscopic study, 340
Myelin sheaths, peripheral, geometry of during formation and growth in rat sciatic nerve, light and EM study, 348
Myoblasts, of chick embryo, in vitro fusion of, light and EM study, 128
Myocardial mitochondria, in rat, morphometric light and EM study, 673
Myofibrils of different sarcomere lengths, extraction of M band from, with fluorescent antibody staining, phase-contrast and fluorescent microscopic study, 340
Myosin aggregates in trypsin-treated smooth muscle cells of toad intestine, EM study, 174

N

Nerve, sciatic, of rat, geometry of peripheral myelin sheaths during formation and growth in, light and EM study, 348
Neuroblasts, of grasshopper embryo, effects of varying concentrations of colchicine on progression of into metaphase, cytological study, 253
Nucleolus, in *Tetrahymena pyriformis*, aging of during cultural growth cycle, EM study, 143
Nucleolus-like body, reformation of in absence of postmitotic RNA synthesis, in *Amoeba proteus*, biochemical and cytochemical light and EM study, 443
Nucleus, of *Amoeba proteus*, localization of proteins in, radioautographic study, 202

O

Oocytes, of frog, formation of yolk-crystal inclusions by mitochondria during oogenesis, EM study, 266
Organ culture of chick embryo liver cells, factors controlling development, EM study, 235
— culture, long-term, of salamander heart, cytological and EM study, 1
Organelles, presynaptic, and junctional integrity, in macque spinal motoneuron neurophil, EM study, 707
Osmotic behavior of rod photoreceptor outer segment discs, of frog retina, biochemical and EM study, 633
— stress, effect on form changes in photoreceptor outer segments and saccules, of frog or rat retina, light and EM study, 547

Ovary, of rabbit, multivesicular structures in proliferating fibroblasts of follicles of during ovulation, EM study, 437
Ovulation, multivesicular structures in proliferating fibroblasts of rabbit ovarian follicles during, EM study, 437

P

Pancreas, of guinea pig, condensing vacuole conversion and zymogen granule discharge in exocrine cells of, biochemical and radioautographic EM study, 503
Particles, acid phosphatase–bearing, dense body, and autophagic vacuole, quantitative characterization of during early phases of glucagon-induced autophagy in rat liver, biochemical and EM and morphometric study, 473
Peroxidase, horseradish, bidirectional transport of in proximal tubule of *Necturus* kidney, cytochemical light and EM study, 197
—, horseradish, injected in rats, comparative analysis of concentration of in cytoplasmic granules of kidney cortex, and in blood, urine, and liver, biochemical and cytochemical study, 620
Phagocytes, separation of from lymphocytes on glass bead columns, effect on subpopulations of lymphocytes and antibody-forming cells, biochemical and immunological and radioautographic study, 566
Phenotype, of chick embryo thyroid cells, modification of in monolayer culture by different media, cytological light and EM study, 225
Photoreceptor outer segment discs, in rod of frog retina, osmotic behavior of, biochemical and EM study, 633
— outer segments and saccules, in frog or rat retina, effect of osmotic stress on form changes of, light and EM study, 547
Phycobiliproteins, in intrathylakoidal spaces of chloroplasts of Cryptophyceaen algae, biochemical and EM study, 280
Plant, bean *Phaseolus vulgaris* and pea *Pisum sativum*, lipid composition of cotyledon vesicles of, biochemical study, 542
—, bean *Phaseolus vulgaris*, pea *Pisum sativum*, and soybean *Glycine max*, isolation and structure of lipid-containing vesicles in seeds of, EM study, 533
—, bean *Vicia faba*, treatment of roots with 5-aminouracil, method for estimating G_2, cytological study, 248
—, pea (var. Alaska), bean (var. Topcrop) and maize (var. Earliking 108), fixation of seeds of, cytological EM study, 387
—, pea (var. Alaska) and bean (var. Topcrop), origin and degradation of lipid vesicles in seed cotyledons of, EM study, 395
Plasma membrane of animal cells, method for isolation of, biochemical and EM study, 703
Plasmalemma of *Saccharomyces cerevisiae*, grooves in, in glancing sections of double aldehyde–fixed cells, EM study, 192
Protein and DNA, in rat liver mitochondria, control of turnover of by thyroid hormone, biochemical study, 29
Protein ferritin, in fungus *Phycomyces*, biochemical and EM study, 15
—, microtubule, in mitotic apparatus of sea urchin eggs, extraction of by organic mercurial, biochemical and immunological and EM study, 324
—, secretory, kinetics of cocoonase zymogen transport into storage vacuole, radioautographic study, 426
—, vitellogenin, of female cecropia blood, in vitro dependence of yolk formation on, radioautographic and fluorescence microscopic study, 303
Proteins, intranuclear localization of in *Amoeba proteus*, radioautographic study, 202
—, phycobili-, in intrathylakoidal spaces of chloroplasts of Cryptophyceaen algae, biochemical and EM study, 280
Protozoan *Amoeba proteus*, binding of heavy meromyosin by thin filaments of in motile cytoplasmic extracts, biochemical and EM study, 216
— *Amoeba proteus*, intranuclear localization of proteins in, radioautographic study, 202
— *Amoeba proteus*, reformation of nucleolus-like bodies in absence of postmitotic RNA synthesis in, biochemical and cytochemical light and EM study, 443
— *Tetrahymena pyriformis*, nucleolar aging during cultural growth cycle of, EM study, 143

R

Rabbit, bone marrow and blood, localization of dialyzed iron-reactive mucosubstance in heterophils, basophils, and eosinophils of, cytological EM study, 368
—, ovarian follicles, mutltivesicular structures in proliferating fibroblasts of during ovulation, EM study, 437
Radioactive label, colchicine methoxy-^{3}H, binding of colchicine-^{3}H to vinblastine- and vincristine-induced crystals in mammalian tissue culture cells, radioautographic study, 407
— label, cytidine-^{3}H and uridine-^{3}H, intracellular distribution of low molecular weight RNA in *Chironomus tentans*, biochemical study, 120
— label, cytidine-^{3}H and uridine-^{3}H, reformation of nucleolus-like bodies in absence of postmitotic RNA synthesis, in *Amoeba proteus*, biochemical and cytochemical light and EM study, 443
— label, dextran-^{14}C, osmotic behavior of rod photoreceptor outer segment discs, of frog retina, biochemical and EM study, 633
— label, erythrocytes-^{125}I and polymerized flagellin-^{125}I, separation of lymphocytes from phagocytes on glass bead columns, effect on subpopulations of lymphocytes and antibody-forming cells, biochemical and immunological and radioautographic study, 566
— label, $FeCl_3$-^{59} iron, ferritin in fungus *Phycomyces*, biochemical and EM study, 15
— label, histidine-^{3}H, dependence of cecropia yolk formation in vitro on specific blood proteins, radioautographic and fluorescence microscopic study, 303
— label, leucine-^{3}H, condensing vacuole conversion and zymogen granule discharge in pancreatic exo-

crine cells, biochemical and radioautographic EM study, 503
Radioactie label, leucine-^{3}H and lysine-^{3}H, intranuclear localization of proteins in *Amoeba proteus*, radioautographic study, 202
— label, leucine-^{3}H, packaging of secretory protein, kinetics of cocoonase zymogen transport into storage vacuole, in galae of *Antheraea polyphemus*, radioautographic study, 426
— label, thymidine-^{3}H and 5-bromodeoxyuridine-^{3}H, effects of 5-bromodeoxyuridine on yolk sac erythropoiesis in chick embryo, biochemical and radioautographic study, 523
— label, thymidine-^{3}H, in vitro effect of interferon on division cycle of L1210 cells, biochemical and radioautographic study, 415
— label, thymidine-^{3}H, thymidine-^{14}C, arginine-^{14}C, and guanidine-^{14}C arginine, control of mitochondrial turnover by thyroid hormone, biochemical study, 29
Rat, and guinea pig, vas deferens, enhancement of granulation of adrenergic storage vesicles of in drug-free solution, fluorescence histochemical and EM study, 699
—, heart, mitochondrial mass of, morphometric light and EM study, 673
—, hepatocyte, effects of iron deficiency on, biochemical and EM study, 79
—, kidney cortex, comparative analysis of concentration of injected horseradish peroxidase in cytoplasmic granules of and in blood, urine, and liver, biochemical and cytochemical study, 620
—, liver, control of mitochondrial DNA and protein turnover by thyroid hormone, biochemical study, 29
—, liver mitochondria, morphology of swelling process in, spectrophotometric and EM study, 291
—, liver, quantitative characterization of dense body, autophagic vacuole, and acid phosphatase–bearing particle populations during early phases of glucagon-induced autophagy in, biochemical and EM and morphometric study, 473
—, sciatic nerve, geometry of peripheral myelin sheaths during formation and growth in, light and EM study, 348
Red blood cell, human, quantitative fixation of by glutaraldehyde, physical chemical study, 91
Retina, of frog, osmotic behavior of rod photoreceptor outer segment discs of, biochemical and EM study, 633
—, of frog or rat, effect of osmotic stress on form changes in photoreceptor outer segments and saccules in, light and EM study, 547
Retinula cells of stomatopod crustacean *Squilla mantis*, granulolysis in, cytological light and EM study, 684
RNA, low molecular weight, intracellular distribution of in salivary glands of *Chironomus tentans*, biochemical study, 120
—synthesis, postmitotic, reformation of nucleolus-like body in absence of, in *Amoeba proteus*, biochemical and cytochemical light and EM study, 443
Rod photoreceptor outer segment discs, of frog retina, osmotic behavior of, biochemical and EM study, 633
Rod-bodies, of Z-disk origin, and organization of Z-disk components, in human, frog, and rat muscle, EM study, 431
Rods, intracristal, in mitochondria of beef heart, EM study, 420
Roots of bean *Vicia faba*, treatment of with 5-aminouracil, method for estimating G_2, cytological study, 248

S

Saccules, and outer segments, of photoreceptors of frog or rat retina, effect of osmotic stress of form changes in, light and EM study, 547
Salamander *Taricha torosa*, heart, long-term organ culture of, cytological and EM study, 1
Salivary glands, of *Chironomus tentans*, intracellular distribution of low molecular weight RNA in, biochemical study, 120
Sea urchin *Strongylocentrotus purpuratus*, selective extraction of isolated mitotic apparatus from eggs of, extraction of typical microtubule protein by organic mercurial, biochemical and immunological and EM study, 324
Seeds, of bean and pea, lipid composition of cotyledon vesicles of, biochemical study, 542
—, of bean, pea, and maize, fixation of during stages of late development and early germination, cytological EM study, 387
—, of pea and bean, origin and degradation of lipid vesicles in cotyledons of, EM study, 395
—, of bean, pea, and soybean, isolation and structure of lipid-containing vesicles in, EM study, 533
Segment, outer, of frog rod photoreceptor discs, osmotic behavior of, biochemical and EM study, 633
Segments, outer, and saccules, of photoreceptors in frog or rat retina, effects of osmotic stress on form changes in, light and EM study, 547
Sensory transduction, structure of cockroach campaniform sensilla, light and EM study, 155
Sheaths, peripheral myelin, geometry of during formation and growth in rat sciatic nerve, light and EM study, 348
Spleen, of mouse, separation of lymphocytes of from phagocytes on glass bead columns, effect on subpopulations of lymphocytes and antibody-forming cells, biochemical and immunological and radioautographic study, 566
Surface of human leukocytes, micropapillae on, EM study, 207
Swelling process, in rat liver mitochondria, spectrophotometric and EM study, 291
Synaptic, pre-, organelles and junctional integrity, in macque spinal motoneuron neurophil, EM study, 707

T

Testis, of mouse, distribution of inorganic cations in, microprobe and EM study, 314
Thylakoidal spaces, intra-, in chloroplasts of Cryptophyceaen algae, phycobiliproteins in, biochemical and EM study, 280

Thyroid cells, of chick embryo, modification of phenotype of in monolayer culture by different media, cytological light and EM study, 225
— hormone, control by of mitochondrial DNA and protein turnover, biochemical study, 29
Toad *Bufo marinus*, bladder, direct observation of response of to vasopressin, physiological and light microscopic study, 695
— *Bufo marinus*, hypothalamus, characterization of unusual catecholamine-containing cell type in, fluorescence histochemical and EM study, 650
— *Bufo marinus*, intestinal smooth muscle, myosin-like aggregates in trypsin-treated cells of, EM study, 174
Transport, bidirectional, of horseradish peroxidase, in proximal tubule of *Necturus* kidney, cytochemical light and EM study, 197
Trypsin, myosin-like aggregates in smooth muscle cells treated with, EM study, 174
Tubule, proximal, of *Necturus* kidney, bidirectional transport of horseradish peroxidase in, cytochemical light and EM study, 197

U

Urine, blood, and liver, of rat, comparative analysis of concentration of injected horseradish peroxidase in, and in cytoplasmic granules of kidney cortex, biochemical and cytochemical study, 620

V

Vacuole, autophagic, dense body, and acid phosphatase–bearing particle populations, quantitative characterization of during early phases of glucagon-induced autophagy in rat liver, biochemical and EM and morphometric study, 473
—, condensing, conversion of to zymogen granule, discharge in pancreatic exocrine cells, biochemical and radioautographic EM study, 503
—, storage, kinetics of cocoonase zymogen transport into, packaging of secretory protein in silkmoth galae, radioautographic study, 426
Vacuoles, in chick embryo corneal epithelium (producer of collagen), EM study, 689
—, gas, and light shielding in blue-green algae, spectrophotometric and EM study, 212
Vas deferens, of guinea pig and rat, enhancement of granulation of adrenergic storage vesicles of in drug-free solution, fluorescence histochemical and EM study, 699
Vasopressin, direct observation of toad bladder response to, physiological and light microscopic study, 695
Vesicles, adrenergic storage, of guinea pig and rat vas deferens, enhancement of granulation of in drug-free solution, fluorescence histochemical and EM study, 699
—, coated, in melanogenesis of regenerating fowl feathers, EM study, 41
—, lipid, isolation and structure of, in seeds of bean, pea, and soybean, EM study, 533
—, lipid, origin and degradation of, in cotyledons of pea and bean seeds, EM study, 395
— of pea and bean cotyledons, lipid composition of, biochemical study, 542
—, in proliferating fibroblasts of rabbit ovarian follicles during ovulation, EM study, 437
Vinblastine- and vincristine-induced crystals, binding of colchicine to, in mammalian tissue culture cells, radioautographic study, 407
Vitellogenin, in female cecropia blood, in vitro dependence of yolk formation on, radioautographic and fluorescence microscopic study, 303

Y

Yeast *Saccharomyces cerevisiae*, grooves in plasmalemma of, in glancing sections of double aldehyde–fixed cells, EM study, 192
— *Saccharomyces cerevisiae*, wild type and mitochondrial mutants, cardiolipin content of in relation to mitochondrial function and development, biochemical and EM study, 490
Yolk formation, in cecropia moth, in vitro dependence of on specific blood proteins, radioautographic and fluorescence microscopic study, 303
— sac erythropoiesis, in chick embryo, effects of 5-bromodeoxyuridine on, biochemical and radioautographic study, 523
Yolk-crystal inclusions, formation of by mitochondria during frog oogenesis, EM study, 266

Z

Z-disk components, organization of, and rod-bodies of Z-disk origin, in human, frog, and rat muscle, EM study, 431
Zymogen granule discharge and condensing vacuole conversion, in pancreatic exocrine cells, biochemical and radioautographic EM study, 503
—, of silkmoth cocoonase, kinetics of transport of into storage vacuole, radioautographic study, 426